

Sales Adviser: Vehicle Data Code Inquiry

Serial: JA5209	Bld: D	Qty: 2	VIN: 3ALACYCY3HDJA5209	Specifications
Split Range: JA5209/JA5210			Customer: ASPHODEL FIR	Base Model: M2106
TSO No: 2C62DG			Salesperson: GILLES LAVIGNE	Cab Size: 106
Pilot:			Coordinator: TERRY FIASCHETTI	Sleeper Size:
Open TCO: N 005			Customer Acct: R17216	Paint: 1
Schedule			Shipping/Pricing	
Status: DLR RECV			Transit Start Dt: 06/07/2016	Key Code: FT1451
Status Date: 06/16/2016			Est. Arrival Dt: 06/17/2016	Engine: C-ISL
Order Recvd: 03/11/2016			Dlr Recvd Dt: 06/16/2016	Transmission: 3000EVS
Request Date: 07/01/2016			Specon Dt: 05/16/2016	Aux Tran:
Latest Accept: 07/01/2016			Invoice Dt: 06/07/2016	FT Axle: MBA14K
Projected Completion: 07/01/2016			Retail Sale:	RR Axle: RS25-614
Orig Project: 07/06/2016			Concession #: 489125	Tag/Push:
Order Rise: 03/15/2016			Price Level: PRL-14M	Suspension: FL27000
Ship Method: DRIVEABLE			M2 PRL-14M (EFF:10/5/15)	TSO Processing: COMPLETE
ASPHODEL FIRE TRUCKS LTD.			MUNICIPAL TENDER WITH LATE CHARGES MUST BE AT BODY BUILDER 07/01/2016	Engineering CWOS: COMPLETE
1525 COUNTY RD 42 RR 2 NORWOOD , ON K0L 2V0. CAN			PDI Received: 06/06/2016	Pricing Issues: COMPLETE
KRISBURNS			PDI Returned: 06/06/2016	
705-639-2052			Approval Date: 3/21/2016	
			TCO Approval: 3	

<u>DBCCode</u>	<u>O TCO</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
PRL-14M	001		PRICE LEVEL INFORMATION		
			M2 PRL-14M (EFF:10/5/15)		
			GENERAL APPLICATION INFORMATION		
AA1-002	D		TRUCK CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-020	D		FIRE SERVICE		
AA3-031	D		FIRE TANK - NO MAIN DRIVELINE		
	D		DRIVEN SPLIT-SHAFT PTO/PUMP		
AA2-998	D		NO TRAILER SPECIFIED		
AA5-002	D		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D		TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D		SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D		ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D		D SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-002	D		LIQUID BULK COMMODITY		
A84-1EV	D		EMERGENCY VEHICLES BUSINESS SEGMENT		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	14000	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	26000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	40000	LBS
A70-99D	S		EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	138.189	IN
AL8-99D	S		CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	S		EXPECTED TRUCK BODY LENGTH	0	IN
AL4-99D	S		CALC'D FRAME LENGTH BACK OF CAB	212.992	IN
AL6-99D	S		CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-209.992	IN
AM1-99D	S		CALC'D OVERALL LENGTH AT BODY OR EOF	319.291	IN
AC3-99D	S		CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	68.477	MPH
AF7-99D	D		BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN

AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.141	IN
AR1-99D	S	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	39.784	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	42.028	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.872	IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	67.43	IN
ALJ-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	104.645	IN
ALH-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	107.214	IN
AF3-999	D	CUSTOM MFR'S/BODY TYPE IDENTIFICATION		
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	14600	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	27000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	41600	LBS
		BASE MODEL		
001-172	D	M2 106 CONVENTIONAL CHASSIS	F 5759	R 3503
004-217	D	2017 MODEL YEAR SPECIFIED		
995-091	D	MEDIUM TRUCK WARRANTY		
002-004	D	SET BACK AXLE - TRUCK		
019-002	D	STRAIGHT TRUCK PROVISION		
003-001	D	LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2XM	D	CUM ISL 350 HP @ 2000 RPM, 2200 GOV RPM,	F 640	R 30
	D	1000 LB/FT @ 1400 RPM		
99C-016	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/G		
	D	HG17 BUT NOT FINAL GHG17 CONFIGURATION		
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		
	S	(AES)		
99D-010	D	NO 2008 CARB EMISSION CERTIFICATION		
28F-007	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC		
	D	OVER THE ROAD ACTIVE REGENERATION AND DA		
	D	SH MOUNTED SINGLE REGENERATION REQUEST/I		
	D	NHIBIT SWITCH		
79A-075	D	75 MPH ROAD SPEED LIMIT		
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD		
	D	SPEED LIMIT		
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE		
79D-998	D	NO PROGRESSIVE SHIFTING		
79E-998	D	NO LOW RANGE TORQUE PROTECT		
79F-998	D	NO FLEET MANAGEMENT		
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION		
79J-998	D	NO PTO SHUTDOWN CONFIGURATION		
79K-007	D	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED		
79M-001	S	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE		
	S	APPLIED		
79N-998	D	NO PTO MODE CLUTCH OVERRIDE		
79P-002	D	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-003	D	PTO RPM WITH CRUISE RESUME SWITCH - 800		
	D	RPM		
79R-998	D	NO PTO MODE COOLING FAN		
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79T-998	D	NO PTO MODE RPM INCREMENT		
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC		
	D	OND		
79V-998	D	NO PTO MODE DPF REGEN		
79W-998	D	REMOTE PTO DISABLED		

79X-998	D	NO PTO 1 SET SPEED		
79Y-998	D	NO PTO 2 SET SPEED		
79Z-998	D	NO PTO 3 SET SPEED		
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT		
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED		
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL		
80D-998	D	NO SOFT CRUISE CONTROL		
80E-998	D	NO ENGINE FAN WITH RETARDER		
80F-998	D	NO MAINTENANCE MONITOR		
80G-002	D	PTO MINIMUM RPM - 700		
80H-998	D	NO ACCELERATION MANAGEMENT		
80J-002	D	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
80R-998	S	NO DRIVETRAIN TORQUE PROTECTION		
84E-000	S	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT		
	S	NA AND ALLISON, THIS DEFINED BY ENGINE A		
	S	ND VOCATIONAL USAGE		
84F-000	S	SECONDARY SHIFT SCHEDULE RECOMMENDED BY		
	S	DTNA AND ALLISON, THIS DEFINED BY ENGINE		
	S	AND VOCATIONAL USAGE		
84G-000	S	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA		
	S	AND ALLISON, THIS DEFINED BY ENGINE AND		
	S	VOCATIONAL USAGE		
84H-000	S	SECONDARY SHIFT SPEED RECOMMENDED BY DTN		
	S	A AND ALLISON, THIS DEFINED BY ENGINE AN		
	S	D VOCATIONAL USAGE		
84J-000	S	ENGINE BRAKE RANGE PRESELECT RECOMMENDED		
	S	BY DTNA AND ALLISON, THIS DEFINED BY EN		
	S	GINE AND VOCATIONAL USAGE		
84K-000	S	ENGINE BRAKE RANGE ALTERNATE PRESELECT R		
	S	ECOMMENDED BY DTNA AND ALLISON, THIS DEF		
	S	INED BY ENGINE AND VOCATIONAL USAGE		
84L-000	S	DYNAMIC SHIFT SENSING AND ACCELERATION R		
	S	ATE MANAGEMENT RECOMMENDED BY DTNA AND A		
	S	LLISON, THIS DEFINED VOCATIONAL USAGE		
84N-000	D	NEUTRAL AT STOP - DISABLED, FUELSENSE -		
	D	DISABLED		
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT		
	D	CONFIGURED		
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C		
	D	ONFIGURED		
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT		
	D	NOT CONFIGURED		
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N		
	D	OT CONFIGURED		
		ENGINE EQUIPMENT		
13E-001	D	STANDARD OIL PAN		
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL		
104-998	D	NO ENGINE OIL DRAIN/SAMPLE		
133-004	D	ONE PIECE VALVE COVER		
014-1BX	D	SIDE OF HOOD AIR INTAKE WITH NFPA COMPLI		
	D	ANT EMBER SCREEN AND FIRE RETARDANT DONA		
	D	LDSON AIR CLEANER		
124-1CC	D	LN 12V 270 AMP 4949PGH PAD MOUNT ALTERNA	F	10
	D	TOR WITH AC TAPS		
292-058	D	(3) ALLIANCE MODEL 1031, GROUP 31, 12 VO	F	40
	D	LT MAINTENANCE FREE 2280 CCA THREADED ST		R 20
	D	UD BATTERIES		

290-017	D	BATTERY BOX FRAME MOUNTED				
281-001	D	STANDARD BATTERY JUMPERS				
282-003	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE				
	D	BACK OF CAB				
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI				
	D	TH ADDITIONAL FRAME GROUND RETURN				
289-001	D	NON-POLISHED BATTERY BOX COVER				
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEME				
	D	NT				
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F	8		
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER				
	D	SEAT				
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR	F	2		
	D	T LOCATED ON FRAME NEXT TO STARTER				
180-998	D	NO CLUTCH				
183-998	D	NO CLUTCH BRAKE				
181-998	D	NO CLUTCH RELEASE BEARING LUBE				
182-998	D	NO CLUTCH RELEASE				
107-032	D	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE				
	D	SSOR WITH INTERNAL SAFETY VALVE				
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER				
	D	NOR				
131-013	D	AIR COMPRESSOR DISCHARGE LINE				
152-039	D	GVG, FIRE AND EMERGENCY SERVICE VEHICLES				
	D	ENGINE WARNING				
128-076	D	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARI	F	20		
	D	ABLE GEOMETRY TURBO WITH ON/OFF DASH SWI				
	D	TCH				
016-1DC	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL	F	10		R 5
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH				
	D	HORIZONTAL TAILPIPE EXITING FORWARD OF				
	D	REAR TIRES				
239-001	D	STANDARD EXHAUST SYSTEM LENGTH				
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)				
237-022	D	RH HORIZONTAL TAILPIPE, EXIT FORWARD OF	F	25		R 25
	D	REAR TIRES				
23U-001	D	6 GALLON DIESEL EXHAUST FLUID TANK				
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO				
	S	LANT PLUMBING				
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL				
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER				
43X-002	D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST F				
	D	LUID TANK LOCATION				
23Y-001	D 003	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT				
	D	ING				
	004	This configuration locates the 6gal DEF				
		as far fwd as possible. As aside note,				
		DEF location notes should be applied to				
		43X when required,and not 23Y				
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP				
242-998	D	NO MUFFLER/TAILPIPE SHIELD				
273-018	D	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN				
	D	DRIVE				
276-002	D	AUTOMATIC FAN CONTROL WITH DASH SWITCH A				
	D	ND INDICATOR LIGHT, NON ENGINE MOUNTED				
110-003	D	CUMMINS SPIN ON FUEL FILTER				
118-008	D	COMBINATION FULL FLOW/BYPASS OIL FILTER				

120-998	D	NO COOLANT FILTER	F	-10		
266-013	D	1100 SQUARE INCH ALUMINUM RADIATOR	F	20		
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT				
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT				
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES				
270-016	D	RADIATOR DRAIN VALVE				
168-002	D	LOWER RADIATOR GUARD				
360-998	D	NO FRONT ENGINE PTO				
361-998	D	NO REAR ENGINE PTO				
138-011	D	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	F	4		
141-998	D	NO COOLANT HEATER - GAS/DSL				
166-998	D	NO OIL PREHEATER				
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR				
134-001	D	ALUMINUM FLYWHEEL HOUSING				
132-004	D	ELECTRIC GRID AIR INTAKE WARMER				
155-058	D	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH				
342-1KD	D	TRANSMISSION & EQUIPMENT				
	D	ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION	F	200		R 60
352-998	D	NO AUXILIARY TRANSMISSION				
343-331	D	ALLISON VOCATIONAL PACKAGE 198 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL EVS				
84B-003	D	ALLISON VOCATIONAL RATING FOR FIRE TRUCK /EMERGENCY VEHICLE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES				
84C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY				
84D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY				
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN				
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED				
97G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013				
348-998	D	NO TRANSMISSION ACCESSORIES				
347-998	D	NO CLUTCH HOUSING MATERIAL				
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK				
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK				
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	F	-2		
84T-000	S	DISABLE - NEUTRAL RANGE ASSIST				
84U-000	S	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES				
84V-001	S	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS				
85D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELECT				

	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK		
	S	E - ALLISON 5TH GEN TRANSMISSIONS		
353-023	D	VEHICLE INTERFACE WIRING CONNECTOR WITHO		
	D	UT BLUNT CUTS, AT END OF FRAME		
34C-001	D	ELECTRONIC TRANSMISSION CUSTOMER ACCESS		
	D	CONNECTOR FIREWALL MOUNTED		
362-1Y0	D	(2) CUSTOMER INSTALLED CHELSEA 277 SERIE		
	D	S PTO'S		
363-011	D	PTO MOUNTING, LH AND RH SIDES OF MAIN TR		
	D	ANSMISSION		
375-998	D	NO AUXILIARY OIL COOLER		
373-998	D	NO TRANSFER CASE		
376-998	D	NO SHIFT CONTROL, TRANSFER CASE		
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER		
	D	TAKEOFF		
35T-001	D	SYNTHETIC TRANSMISSION FLUID (TES-295 CO		
	D	MPLIANT)		
385-998	D	NO MAIN DRIVELINE HARDWARE		
		FRONT AXLE, SUSPENSION & EQUIPMENT		
400-1A8	D	DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI		
	D	/3.74 DROP SINGLE FRONT AXLE		
398-998	D	NO FRONT AXLE RATIO		
389-998	D	NO FRONT AXLE DRIVESHAFT		
402-049	D	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT		
	D	BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-026	D	FIRE AND EMERGENCY SEVERE SERVICE, NON-A		
	D	SBESTOS FRONT LINING		
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	D	FRONT BRAKE DUST SHIELDS	F	5
409-021	D	SKF SCOTSEAL PLUS XL FRONT OIL SEALS		
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE		
	D	R AND SIDE PLUGS - OIL		
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES		
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS		
405-031	D	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS W		
	D	ITH STAINLESS STEEL CLEVIS PINS		
536-012	D	TRW TAS-85 POWER STEERING	F	40
537-005	S	STEEL STEERING SHAFT		
539-003	D	POWER STEERING PUMP		
534-015	D	2 QUART SEE THROUGH POWER STEERING RESER		
	D	VOIR		
533-998	D	NO POWER STEERING OIL COOLER		
40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE		
620-010	D	14,600# TAPERLEAF FRONT SUSPENSION	F	170
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT		
	D	SUSPENSION		
629-998	D	NO FRONT SWAYBAR		
410-001	D	FRONT SHOCK ABSORBERS		
		REAR AXLE, SUSPENSION & EQUIPMENT		
420-1DR	D	RS-25-160 27,000# R-SERIES FIRE/EMERGENC		R 230
	D	Y SERVICE SINGLE REAR AXLE		
421-614	D	6.14 REAR AXLE RATIO		
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL		
	D	E HOUSING		
382-998	D	NO (#1) DRIVELINE		
386-076	D	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVE	F	20
	D	LINE WITH FULL ROUND YOKES		R 20
388-998	D	NO INTERAXLE (#3) DRIVELINE		
452-998	D	NO TRACTION EQUALIZER		

878-998	D	NO AIR PP & CONT-DIFF LKOUT,CAB		
87A-998	D	NO INTERAXLE LOCK WIRING/LOGIC		
87B-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC		
423-010	D	MERITOR 16.5X7 P CAM REAR BRAKES, DOUBLE	R	20
	D	ANCHOR, CAST SHOES		
433-025	D	FIRE AND EMERGENCY SEVERE SERVICE NON-AS		
	D	BESTOS REAR BRAKE LINING		
434-011	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE		
	D	OF DRIVE AXLE(S)		
451-030	D	WEBB HEAVY WEIGHT CAST IRON REAR BRAKE D	R	40
	D	RUMS		
425-002	D	REAR BRAKE DUST SHIELDS	R	5
440-021	D	SKF SCOTSEAL PLUS XL REAR OIL SEALS		
435-998	D	NO DRIVELINE PARKING BRAKE		
426-074	D	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE		
	D	SPRING PARKING CHAMBERS		
428-031	D	HALDEX AUTOMATIC REAR SLACK ADJUSTERS WI		
	D	TH STAINLESS STEEL CLEVIS PINS		
876-998	D	NO AIR PP/ELECT AXLE SHIFT,CAB		
87C-998	D	NO DRIVE/SHIFT AXLE WIRING/LOGIC		
898-998	D	NO AIR PP/ELECT-AXLE SHIFT,CHAS		
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE		
622-1DD	D	27,000# FLAT LEAF SPRING REAR SUSPENSION	R	120
	D	WITH RADIUS ROD FOR FIRE/EMERGENCY SERV		
	D	ICE		
034-998	D	NO REAR SUSPENSION PACKAGE		
621-001	D	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	D	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
624-998	D	NO AXLE SPACING		
628-998	D	NO SUSPENSION BEAMS		
888-998	D	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION		
87D-998	D	NO REAR AIR SUSPENSION VALVE WIRING/		
	D	LOGIC		
910-998	D	NO REAR CHASSIS SUSPENSION AIR PIPING		
623-005	D	FORE/AFT CONTROL RODS		
630-998	D	NO REAR SUSPENSION STABILIZER		
439-998	D	NO REAR SHOCK ABSORBERS		
035-998	D	NO DEAD AXLE PACKAGE		
443-998	D	NO PUSHER OR TAG AXLE		
456-998	D	NO PUSHER/TAG BRAKES		
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)		
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA		
	D	G		
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS		
442-998	D	NO PUSHER OR TAG OIL SEALS		
444-998	D	NO PUSHER OR TAG HUB CAPS		
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS		
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS		
626-998	D	NO PUSHER OR TAG SUSPENSION		
874-998	D	NO PUSHER/TAG AXLE LIFT		
896-998	D	NO PLUMBING FOR LIFT AXLE		
87F-998	D	NO LIFT AXLE WIRING/LOGIC		
	D	BRAKE SYSTEM		
018-002	D	AIR BRAKE PACKAGE		
490-101	D	WABCO 4S/4M ABS WITH TRACTION CONTROL, W		
	D	IH ATC OFF-ROAD SWITCH		
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE		

	D	BRAID CHASSIS AIR LINES			
46E-001	S	STANDARD AIR MANAGEMENT UNIT			
904-001	D	FIBER BRAID PARKING BRAKE HOSE			
412-001	D	STANDARD BRAKE SYSTEM VALVES			
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
	D				
413-002	D	STD U.S. FRONT BRAKE VALVE			
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
	D				
480-009	D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F	20	
483-998	D	NO AIR SYSTEM OIL FILTER			
479-003	D	AIR DRYER MOUNTED INBOARD ON LH RAIL			
460-058	D	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION			
	D				
	D				
46A-998	D	NO AUXILIARY AIR TANK			
607-998	D	CHASSIS CONFIGURATION - NONE			
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)			
485-998	D	NO EXTERNAL CHARGING GLADHAND			
481-998	D	NO TRAILER AIR HOSE			
476-998	D	NO AIR HOSE HANGER			
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME			
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM			
	D				
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE			
296-998	D	NO SPECIAL PRIMARY RECEPTACLE WIRING			
297-998	D	NO TRAILER CABLE RECEPTACLE			
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	D	UPGRADED BULKHEAD MULTIPLEXING UNIT			
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING			
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS RECEPTACLE			
	D				
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING			
310-998	D	NO TRAILER ELECTRICAL CABLE FRAME & WHEELBASE			
545-517	D	5175MM (204 INCH) WHEELBASE			
546-102	D	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	F	270	R 260
	D				
547-998	D	NO INNER FRAME REINFORCEMENT			
548-998	D	NO OUTER FRAME REINFORCEMENT			
549-998	D	NO FRONT FRAME EXTENSION			
552-014	D	1900MM (75 INCH) REAR FRAME OVERHANG	F	-20	R 100
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	1.007		%
553-001	D	SQUARE END OF FRAME			
550-001	D	FRONT CLOSING CROSSMEMBER			
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER			
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
565-001	D	STANDARD SUSPENSION CROSSMEMBER			
572-001	D	STANDARD REARMOST CROSSMEMBER			
AL5-99D	S	CALC'D BUMPER TO REAR TOWING C/M FACE	319.291		IN
587-998	D	NO REAR TOWING DEVICE CHASSIS EQUIPMENT			
674-998	D	NO LH OR RH BACK OF CAB ACCESS			
592-998	D	NO DECK PLATE			
556-1CW	D	THREE-PIECE 14 INCH CHROME STEEL BUMPER WITH COLLAPSIBLE ENDS AND LH WING CUTOUT FOR FEDERAL MS100/ES100/ES100C SPEAKER	F	30	
	D				
	D				

558-001	D	FRONT TOW HOOKS - FRAME MOUNTED	F	15
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS		
585-998	D	NO MUDFLAP BRACKETS		
590-998	D	NO REAR MUDFLAPS		
586-024	D	FENDER AND FRONT OF HOOD MOUNTED FRONT M		
	D	UDFLAPS		
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTEN		
	D	ERS		
583-998	D	NO REAR QUARTER FENDERS		
600-998	D	NO CAB GUARD		
604-998	D	NO TIRE CARRIER		
794-998	D	NO JACK OR WHEEL WRENCH PROVISION		
795-998	D	NO TOOLS		
605-998	D	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE		
601-998	D	NO BODY BUILDER DIAGRAMS		
970-040	D	TANK BODY 3001 TO 4500 GALLONS		
		FIFTH WHEEL & EQUIPMENT		
578-998	D	NO FIFTH WHEEL		

577-998	D	NO FIFTH WHEEL LOCATION		
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS		
582-998	D	NO FIFTH WHEEL LEG HEIGHT		
570-998	D	NO FIFTH WHEEL MOUNTING		
890-998	D	NO FIFTH WHEEL PLUMBING		
579-998	D	NO FIFTH WHEEL RELEASE/INST.		
591-998	D	NO FIFTH WHEEL ADD-ONS		
		FUEL TANK(S) & EQUIPMENT		
206-998	D	NO RH FUEL TANK		
201-998	D	NO RH AUXILIARY FUEL TANK		
204-215	D	50 GALLON/189 LITER SHORT RECTANGULAR AL	F	20
	D	UMINUM FUEL TANK - LH		
200-998	D	NO LH AUXILIARY FUEL TANK		
230-998	D	NO BETWEEN RAIL FUEL TANK		
203-998	D	NO HYDRAULIC OIL TANK		
218-005	D	RECTANGULAR FUEL TANK(S)		
215-005	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU		
	D	LIC TANK(S) WITH PAINTED BANDS		
212-007	D	FUEL TANK(S) FORWARD		
231-998	D	NO FUEL TANK MTG BETWEEN RAILS		
232-998	D	NO ADDITIONAL FUEL PROVIDED		
664-001	D	PLAIN STEP FINISH		
207-998	D	NO FUEL TANK SCREENS		
205-001	D	FUEL TANK CAP(S)		
220-998	D	NO FUEL HEATER		
122-075	D	ALLIANCE FUEL FILTER/WATER SEPARATOR		
216-020	D	EQUIFLO INBOARD FUEL SYSTEM		
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT		
	D	S		
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
	D	INE		
213-998	D	NO FUEL LINE INSULATION		
221-998	D	NO FUEL COOLER		

		TIRES		
093-2DV	D	CONTINENTAL HSC1 12R22.5 16 PLY RADIAL F	F	50
	D	FRONT TIRES		
094-0GR	D	MICHELIN XDN2 12R22.5 16 PLY RADIAL REAR		
	D	TIRES		

095-998	D	NO PUSHER/TAG TIRES		
510-998	D	NO SPARE TIRE		
		HUBS		
418-056	D	CONMET PRESET PLUS IRON FRONT HUBS		
450-056	D	CONMET PRESET PLUS IRON REAR HUBS		
449-998	D	NO PUSHER OR TAG HUBS		
		WHEELS		
502-1M3	D	ALCOA 89465X 22.5X9.00 10-HUB PILOT 5.96	F	-24
	D	INSET ALUMINUM DISC FRONT WHEELS		
505-1EF	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI		R -100
	D	LOT ALUMINUM DISC REAR WHEELS		
509-998	D	NO PUSHER/TAG DISC WHEELS		
511-998	D	NO SPARE WHEEL		
51A-998	D	NO ADDITIONAL SPARE WHEEL		
524-022	D	POLISHED DISC SIDE FRONT WHEELS WITH DUR		
	D	A-BRIGHT FINISH		
525-023	D	POLISHED OUTER (DISHED SIDE) REAR WHEELS		
	D	WITH OUTER ONLY DURA-BRIGHT FINISH		
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE		
	D	ELS		
496-011	D	FRONT WHEEL MOUNTING NUTS		
497-011	D	REAR WHEEL MOUNTING NUTS		
498-059	D	ALLIGATOR V2B CAPS WITH NYLON WHEEL GUAR		
	D	DS FRONT AND REAR AT ALL INTERFACES		
		CAB EXTERIOR		
829-071	D	106 INCH BBC FLAT ROOF ALUMINUM CONVENTI		
	D	ONAL CAB		
682-998	D	NO SLEEPER BOX/SLEEPER CAB		
784-998	D	NO AIR SHIELD OR BRACKETS		
783-998	D	NO SIDE EXTENDERS		
782-998	D	NO FRAME SIDE FAIRINGS		
650-008	D	AIR CAB MOUNTING		
705-012	D	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED	F	2
	D	COMPONENTS		
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR		
	D	ILLE		
754-998	D	NO FENDER EXTENSION		
678-018	D	LH AND RH EXTERIOR GRAB HANDLES WITH SIN		
	D	GLE RUBBER INSERT		
646-023	D	HOOD MOUNTED CHROMED PLASTIC GRILLE		
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	D	FIBERGLASS HOOD		
690-007	D	HOOD LINER INSULATION WITH SINGLE FIREWA		
	D	LL INSULATION		
727-1B1	D	DUAL 25 INCH ROUND STUTTER TONE HOOD MOU	F	8
	D	NTED AIR HORNS WITH DUAL LANYARDS		
726-001	D	SINGLE ELECTRIC HORN		
728-002	D	DUAL HORN SHIELDS		
657-001	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE		
	D	SAME		
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME		
327-998	D	NO OTHER LIGHTS		
312-038	D	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH		
	D	CHROME BEZEL		
302-047	D	LED AERODYNAMIC MARKER LIGHTS		
315-998	D	NO FOG LIGHTS		
311-001	D	DAYTIME RUNNING LIGHTS		
316-998	D	NO SPOTLIGHTS		

294-094	D	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE		R	-5
	D	WIRING WITH SEPARATE STOP/TAIL WIRES TO			
	D	7 FEET BEYOND END OF FRAME			
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS			
318-032	D	SWITCH, INDICATOR LIGHT AND APPROXIMATELY			
	D	10 FEET OF WIRE ON CHASSIS RH BACK OF			
	D	CAB FOR CUSTOMER FURNISHED UTILITY LIGHT			
	D	(S)			
744-1BC	D	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS			
	D	WITH LH AND RH REMOTE			
797-001	D	DOOR MOUNTED MIRRORS			
796-001	D	102 INCH EQUIPMENT WIDTH			
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS			
	D	MOUNTED UNDER PRIMARY MIRRORS			
74A-001	D	RH DOWN VIEW MIRROR			
74B-998	D	NO AUXILIARY MIRROR			
713-998	D	NO PERMIT PLAQUE			
729-001	D	STANDARD SIDE/REAR REFLECTORS			
73A-998	D	NO REFLECTIVE DEVICES			
677-016	D	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES			
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE			
	D	NOT SET WITH DOOR OPEN AND ALL IGNITION			
	D	KEY POSITIONS			
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F	10	
768-998	D	NO REAR WINDOW	F	-20	
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED			
	D	NON-OPERATING WING WINDOWS			
654-003	D	MANUAL DOOR WINDOW REGULATORS			
767-998	D	NO SIDE WINDOW			
769-998	D	NO LOWER DOOR WINDOW			
663-013	D	TINTED WINDSHIELD			
659-019	D	2 GALLON WINDSHIELD WASHER RESERVOIR WITH			
	D	OUT FLUID LEVEL INDICATOR, FRAME MOUNTED			
	D				
647-998	D	NO WINTERFRONT			
		CAB INTERIOR			
707-1AK	D	OPAL GRAY VINYL INTERIOR			
706-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL			
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			
	D				
708-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL			
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			
	D				
772-006	D	BLACK MATS WITH SINGLE INSULATION			
785-998	D	NO DASH MOUNTED ASH TRAYS AND LIGHTER			
691-008	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER			
	D	STORAGE COMPARTMENTS WITHOUT NETTING			
694-010	D	IN DASH STORAGE BIN			
696-998	D	NO REAR FLOOR STORAGE			
693-998	D	NO INTERIOR DOOR STORAGE			
826-998	D	NO LOWER BUNK			
666-998	D	NO BUNK RESTRAINT			
738-998	D	NO CLOCK			
742-007	D	(2) CUP HOLDERS LH AND RH DASH			
680-006	D	GRAY/CHARCOAL FLAT DASH			
860-004	D	SMART SWITCH EXPANSION MODULE			
716-998	D	NO WINDSHIELD FAN			

720-998	D	NO FIRE EXTINGUISHER			
71T-998	D	NO SMOKE/GAS DETECTOR			
714-001	D	FIRST AID KIT	F	2	
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	D	STANDARD HVAC DUCTING			
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW			
	D	ITCH			
689-998	D	NO AUXILIARY HVAC UNIT			
170-015	D	STANDARD HEATER PLUMBING			
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES			
	D	SOR			
702-002	D	BINARY CONTROL, R-134A			
739-034	D	PREMIUM INSULATION			
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-011	D	DOME DOOR ACTIVATED LH AND RH, DUAL READ			
	D	ING LIGHTS, FORWARD CAB ROOF			
655-001	D	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			
740-998	D	NO MATTRESS			
284-045	D	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN			
	D	DASH			
710-998	D	NO CAB PRIVACY CURTAIN			
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10	
756-1E7	D	SEATS INC 911 UNIVERSAL SERIES HIGH BACK	F	50	
	D	AIR SUSPENSION DRIVER SEAT WITH NFPA 19			
	D	01-2009/2016 COMPLIANT SEAT SENSOR			
760-1F0	D	SEATS INC 911 2 MAN MID BACK NON SUSPENS	F	105	R 50
	D	ION PASSENGER SEAT WITH NFPA 2009 COMPLI			
	D	ANT SEAT SENSORS			
762-998	D	NO REAR PASSENGER SEAT			
757-998	D	NO SEAT SKIRT(S)			
759-998	D	NO SEAT ARMREST			
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
699-998	D	NO SEAT OPTIONS			
758-023	D	GRAY VINYL DRIVER SEAT COVER WITH GRAY C			
	D	ORDURA CLOTH BOLSTER AND HEADREST			
761-017	D	GRAY CORDURA PLUS CLOTH PASSENGER SEAT C			
	D	OVER			
755-998	D	NO REAR PASSENGER SEAT COVERS			
763-075	D	3 POINT HIGH VISIBILITY ORANGE RETRACTOR			
	D	DRIVER AND RH FRONT AND 2 POINT RETRACT			
	D	OR CENTER FRONT SEAT BELTS WITH NFPA 190			
	D	1-2009 COMPLIANT SENSOR AND DASH HARNESS			
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F	10	
	D	COLUMN			
540-015	D	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS			
	D	CONTROLS & INSTRUMENTS			
870-001	D	BLACK GAUGE BEZELS			
732-004	D	GRAY DRIVER INSTRUMENT PANEL			
734-004	D	GRAY CENTER INSTRUMENT PANEL			
68J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL			
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD			
	D	IBLE ALARM			
838-998	D	NO AIR APPLICATION GAUGE			
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSUR			
	D	E GAUGES			

198-003	D	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	F	2
721-003	D	PRECOR 1040 87 DB TO 112 DB AUTOMATIC SELF-ADJUSTING BACKUP ALARM	R	3
149-013	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
157-998	D	NO REMOTE START		
811-042	D	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	D	2 INCH ELECTRIC FUEL GAUGE		
845-998	D	NO FUEL FLOW GAUGE		
148-073	D	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE		
163-001	D	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB		
87L-001	D	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION		
866-998	D	NO AXLE TEMPERATURE GAUGE		
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE		
864-001	D	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
867-998	D	NO OUTSIDE AIR TEMPERATURE GAUGE		
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY		
438-998	D	NO HUBODOMETER		
33A-998	D	NO WARNING LIGHT SWITCHES		
372-051	D	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS		
736-998	D	NO OBSTACLE DETECTION SYSTEM		
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM		
49B-004	D	ELECTRONIC STABILITY CONTROL		
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM		
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-001	D	OVERHEAD INSTRUMENT PANEL		
35M-998	D	NO WRG-BDY MULTIPLEX EXPNSN UNIT		
786-998	D	NO POSITIONING/LOCATING SYSTEM		
746-019	D	CUSTOMER FURNISHED DIN RADIO PACKAGE	F	5
747-001	D	DASH MOUNTED RADIO		
74D-998	D	NO RADIO/SPEAKER WIRING		
750-002	D	(2) RADIO SPEAKERS IN CAB		
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
748-006	D	POWER AND GROUND WIRING PROVISION OVERHEAD		
749-001	D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-998	D	NO CB ANTENNA, BRACKET OR LEAD		
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA		
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER		

817-001	D	STANDARD VEHICLE SPEED SENSOR	
812-001	D	ELECTRONIC 3000 RPM TACHOMETER	
813-1C0	D	NFPA VEHICLE DATA RECORDER AND SEATBELT	F 5
	D	DISPLAY**DO NOT USE**	
81X-998	D	NO TELEMATICS SERVICE CONTRACT	
80K-998	D	NO SHUTDOWN OVERRIDE	
80L-998	D	NO REGEN SYSTEM TAILORING	
80M-998	S	NO ALTERNATE PTO SPEED	
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE	
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION	
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG	
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP	
885-998	D	NO CONTROLS-FIRE PUMP	
329-010	D	TWO ON/OFF ROCKER SWITCHES IN THE DASH W	
	D	ITH INDICATOR LIGHTS AND WIRE ROUTED TO	
	D	CHASSIS AT BACK OF CAB, LABEL OPT	
81Y-998	D	NO PRE TRIP SYSTEM TEST	
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH	
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	
44W-998	D	NO UNDEFINED INDICATOR LAMPS	
264-032	D	(2) OVERHEAD MOUNTED LANYARD CONTROLS:	
	D	(1) OFFICER AIR HORN AND (1) DRIVER AIR	
	D	HORN	
482-998	D	NO TRACTOR PROTECTION VALVE	
883-998	D	NO TRAILER HAND CONTROL BRAKE VALVE	
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR	
	D	IVER DISPLAY	
660-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W	
	D	ITH DELAY	
304-001	D	MARKER LIGHT SWITCH INTEGRAL WITH HEADLI	
	D	GHT SWITCH	
27D-013	D	ALTERNATING FLASHING HEADLAMP SYSTEM WIT	
	D	H DASH SWITCH AND NO PARK BRAKE INTERLOC	
	D	K	
882-018	D	ONE VALVE PARKING BRAKE SYSTEM WITH DASH	
	D	VALVE CONTROL AUTONEUTRAL AND WARNING I	
	D	NDICATOR	
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH D	
	D	IMMER, WASHER/WIPER AND HAZARD IN HANDLE	
298-039	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER	
	D	WITH HAZARD LAMPS OVERRIDING STOP LAMPS	
		PAINT	
065-000	D	PAINT: ONE SOLID COLOR	
980-2L5	D	CAB COLOR A: L1132EB	
	D	RED ELITE BC	
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS	
	D	PAINT	
98K-998	D	NO FUEL TANK CABINET PAINT	
962-998	D	PAINT-FRT WHEEL COLOR: NONE	
966-998	D	PAINT-RR WHEEL COLOR: NONE	
96E-998	D	NO PUSHER/TAG WHEEL PAINT	
96F-998	D	NO SPARE WHEEL PAINT	
964-998	D	NO BUMPER PAINT	
976-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A	
963-003	D	STANDARD E COAT/UNDERCOATING	
		ADDITIONAL SPECIFICATIONS	

998-001	D	CORPORATE PDI CENTER IN-SERVICE ONLY
958-998	D	NO INSPECTION-LABOR ONLY
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT

	D	IONS
82N-998	D	NO SHIPPING PROTECTION
999-998	D	NONE
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	D	CABS AND GLIDER KITS
RCE-00C	001	CONCESSION CANADIAN EXCHANGE
MWF-004	S	DETROIT FRONT AXLE COVERAGE, GENERAL SER
	S	VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS

TOTAL SUGGESTED RETAIL

DEALER NET

P74-256	001	U.S./CAD FIXED/VAR EXCHANGE 1.3755 **DO NOT USE** CANADIAN DEALER NET (CDN\$)
---------	-----	---

RCE-00C	001	CONCESSION CANADIAN EXCHANGE
RCN-100	001	PRICE CONCESSION SYSTEM
WAI-4VM		EPA 2013 CUMMINS ISL ENGINE EXTENDED WAR RANTY DC1, 6 YEARS/150,000 MILES/240 000 KM FEX

P28-1AC	001	AIR CONDITIONING TAX
RTA-001	001	ONTARIO TIRE STEWARDSHIP FEE
PMU-016		2016 OBD/2010 EPA/CARB/GHG14 ESCALATOR **DO NOT USE**

P73-1FT	001	STANDARD DESTINATION CHARGE X EXCHANGE
---------	-----	---

RNT-001	001	NOTES FINAL SUBTOTAL (CDN\$)
---------	-----	---------------------------------

P24-4HT	001	HARMONIZED SALES TAX NB NL ON 13% HST#861828937
---------	-----	--

FINAL PRICE DUE (CDN\$)