

# Sales Adviser: Vehicle Data Code Inquiry

<b>Serial:</b> JA5211	<b>Bld:</b> D	<b>Qty:</b> 2	<b>VIN:</b> 3ALACYCY1HDJA5211	<b>Specifications</b>
<b>Split Range:</b> JA5211/JA5212			<b>Customer:</b> ASPHODEL FIR	<b>Base Model:</b> M2106
<b>TSO No:</b> 2C62EP			<b>Salesperson:</b> GILLES LAVIGNE	<b>Cab Size:</b> 106
<b>Pilot:</b>			<b>Coordinator:</b> TERRY FIASCHETTI	<b>Sleeper Size:</b>
<b>Open TCO:</b> N 007			<b>Customer Acct:</b> R17216	<b>Paint:</b> 1
<b>Schedule</b>			<b>Shipping/Pricing</b>	
<b>Status:</b> RTL SOLD			<b>Transit Start Dt:</b> 07/19/2016	<b>Key Code:</b> FT1972
<b>Status Date:</b> 09/08/2017			<b>Est. Arrival Dt:</b> 07/28/2016	<b>Engine:</b> C-ISL
<b>Order Recvd:</b> 03/11/2016			<b>Dir Recvd Dt:</b> 07/27/2016	<b>Transmission:</b> 3000EVS
<b>Request Date:</b> 08/01/2016			<b>Specon Dt:</b> 06/20/2016	<b>Aux Tran:</b>
<b>Latest Accept:</b> 08/01/2016			<b>Invoice Dt:</b> 07/15/2016	<b>FT Axle:</b> MBA14K
<b>Projected Completion:</b> 08/11/2016			<b>Retail Sale:</b> 09/08/2017	<b>RR Axle:</b> RS25-614
<b>Orig Project:</b> 08/10/2016			<b>Concession #:</b> 489125	<b>Tag/Push:</b>
<b>Order Rise:</b> 03/15/2016			<b>Price Level:</b> PRL-14M	<b>Suspension:</b> FL27000
<b>Ship Method:</b> DRIVEABLE			M2 PRL-14M (EFF:10/5/15)	<b>TSO Processing:</b> COMPLETE
ASPHODEL FIRE TRUCKS LTD.			MUNICIPAL TENDER WITH LATE CHARGES MUST BE AT BODY BUILDER 09/01/2016	<b>Engineering CWOS:</b> COMPLETE
1525 COUNTY RD 42 RR 2 NORWOOD , ON K0L 2V0. CAN			<b>PDI Received:</b> 07/15/2016	<b>Pricing Issues:</b> COMPLETE
KRISBURNS			<b>PDI Returned:</b> 07/15/2016	
705-639-2052			<b>Approval Date:</b> 3/21/2016	
			<b>TCO Approval:</b> 3	

<u>DBCCode</u>	<u>O TCO</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
PRL-14M	001		PRICE LEVEL INFORMATION		
			M2 PRL-14M (EFF:10/5/15)		
			GENERAL APPLICATION INFORMATION		
AA1-002	D		TRUCK CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-020	D		FIRE SERVICE		
AA3-031	D		FIRE TANK - NO MAIN DRIVELINE		
	D		DRIVEN SPLIT-SHAFT PTO/PUMP		
AA2-998	D		NO TRAILER SPECIFIED		
AA5-002	D		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D		TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D		SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D		ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D		D SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-002	D		LIQUID BULK COMMODITY		
A84-1EV	D		EMERGENCY VEHICLES BUSINESS SEGMENT		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	14000	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	26000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	40000	LBS
A70-99D	S		EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	138.189	IN
AL8-99D	S		CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	S		EXPECTED TRUCK BODY LENGTH	0	IN
AL4-99D	S		CALC'D FRAME LENGTH BACK OF CAB	212.992	IN
AL6-99D	S		CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-209.992	IN
AM1-99D	S		CALC'D OVERALL LENGTH AT BODY OR EOF	319.291	IN
AC3-99D	S		CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	68.477	MPH
AF7-99D	D		BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN

AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.141	IN
AR1-99D	S 004	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	39.786	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	42.028	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.872	IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	67.43	IN
ALJ-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	104.645	IN
ALH-99D	S 004	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	107.215	IN
AF3-999	D	CUSTOM MFR'S/BODY TYPE IDENTIFICATION		
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	14600	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	27000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	41600	LBS
		BASE MODEL		
001-172	D	M2 106 CONVENTIONAL CHASSIS	F 5759	R 3503
004-217	D	2017 MODEL YEAR SPECIFIED		
995-091	D	MEDIUM TRUCK WARRANTY		
002-004	D	SET BACK AXLE - TRUCK		
019-002	D	STRAIGHT TRUCK PROVISION		
003-001	D	LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2XM	D	CUM ISL 350 HP @ 2000 RPM, 2200 GOV RPM,	F 640	R 30
	D	1000 LB/FT @ 1400 RPM		
99C-016	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/G		
	D	HG17 BUT NOT FINAL GHG17 CONFIGURATION		
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		
	S	(AES)		
99D-010	D	NO 2008 CARB EMISSION CERTIFICATION		
28F-007	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC		
	D	OVER THE ROAD ACTIVE REGENERATION AND DA		
	D	SH MOUNTED SINGLE REGENERATION REQUEST/I		
	D	NHIBIT SWITCH		
79A-075	D	75 MPH ROAD SPEED LIMIT		
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD		
	D	SPEED LIMIT		
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE		
79D-998	D	NO PROGRESSIVE SHIFTING		
79E-998	D	NO LOW RANGE TORQUE PROTECT		
79F-998	D	NO FLEET MANAGEMENT		
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION		
79J-998	D	NO PTO SHUTDOWN CONFIGURATION		
79K-007	D	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED		
79M-001	S	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE		
	S	APPLIED		
79N-998	D	NO PTO MODE CLUTCH OVERRIDE		
79P-002	D	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-003	D	PTO RPM WITH CRUISE RESUME SWITCH - 800		
	D	RPM		
79R-998	D	NO PTO MODE COOLING FAN		
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79T-998	D	NO PTO MODE RPM INCREMENT		
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC		
	D	OND		
79V-998	D	NO PTO MODE DPF REGEN		
79W-998	D	REMOTE PTO DISABLED		

79X-998	D	NO PTO 1 SET SPEED		
79Y-998	D	NO PTO 2 SET SPEED		
79Z-998	D	NO PTO 3 SET SPEED		
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT		
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED		
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL		
80D-998	D	NO SOFT CRUISE CONTROL		
80E-998	D	NO ENGINE FAN WITH RETARDER		
80F-998	D	NO MAINTENANCE MONITOR		
80G-002	D	PTO MINIMUM RPM - 700		
80H-998	D	NO ACCELERATION MANAGEMENT		
80J-002	D	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
80R-998	S	NO DRIVETRAIN TORQUE PROTECTION		
84E-000	S	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT		
	S	NA AND ALLISON, THIS DEFINED BY ENGINE A		
	S	ND VOCATIONAL USAGE		
84F-000	S	SECONDARY SHIFT SCHEDULE RECOMMENDED BY		
	S	DTNA AND ALLISON, THIS DEFINED BY ENGINE		
	S	AND VOCATIONAL USAGE		
84G-000	S	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA		
	S	AND ALLISON, THIS DEFINED BY ENGINE AND		
	S	VOCATIONAL USAGE		
84H-000	S	SECONDARY SHIFT SPEED RECOMMENDED BY DTN		
	S	A AND ALLISON, THIS DEFINED BY ENGINE AN		
	S	D VOCATIONAL USAGE		
84J-000	S	ENGINE BRAKE RANGE PRESELECT RECOMMENDED		
	S	BY DTNA AND ALLISON, THIS DEFINED BY EN		
	S	GINE AND VOCATIONAL USAGE		
84K-000	S	ENGINE BRAKE RANGE ALTERNATE PRESELECT R		
	S	ECOMMENDED BY DTNA AND ALLISON, THIS DEF		
	S	INED BY ENGINE AND VOCATIONAL USAGE		
84L-000	S	DYNAMIC SHIFT SENSING AND ACCELERATION R		
	S	ATE MANAGEMENT RECOMMENDED BY DTNA AND A		
	S	LLISON, THIS DEFINED VOCATIONAL USAGE		
84N-000	D	NEUTRAL AT STOP - DISABLED, FUELSENSE -		
	D	DISABLED		
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT		
	D	CONFIGURED		
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C		
	D	ONFIGURED		
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT		
	D	NOT CONFIGURED		
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N		
	D	OT CONFIGURED		
		ENGINE EQUIPMENT		
13E-001	D	STANDARD OIL PAN		
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL		
104-998	D	NO ENGINE OIL DRAIN/SAMPLE		
133-004	D	ONE PIECE VALVE COVER		
014-1BX	D	SIDE OF HOOD AIR INTAKE WITH NFPA COMPLI		
	D	ANT EMBER SCREEN AND FIRE RETARDANT DONA		
	D	LDSON AIR CLEANER		
124-1CC	D	LN 12V 270 AMP 4949PGH PAD MOUNT ALTERNA	F	10
	D	TOR WITH AC TAPS		
292-058	D	(3) ALLIANCE MODEL 1031, GROUP 31, 12 VO	F	40
	D	LT MAINTENANCE FREE 2280 CCA THREADED ST		
	D	UD BATTERIES		R 20

290-017	D	BATTERY BOX FRAME MOUNTED				
281-001	D	STANDARD BATTERY JUMPERS				
282-003	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE				
	D	BACK OF CAB				
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI				
	D	TH ADDITIONAL FRAME GROUND RETURN				
289-001	D	NON-POLISHED BATTERY BOX COVER				
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEME				
	D	NT				
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F	8		
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER				
	D	SEAT				
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR	F	2		
	D	T LOCATED ON FRAME NEXT TO STARTER				
180-998	D	NO CLUTCH				
183-998	D	NO CLUTCH BRAKE				
181-998	D	NO CLUTCH RELEASE BEARING LUBE				
182-998	D	NO CLUTCH RELEASE				
107-032	D	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE				
	D	SSOR WITH INTERNAL SAFETY VALVE				
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER				
	D	NOR				
131-013	D	AIR COMPRESSOR DISCHARGE LINE				
152-039	D	GVG, FIRE AND EMERGENCY SERVICE VEHICLES				
	D	ENGINE WARNING				
128-076	D	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARI	F	20		
	D	ABLE GEOMETRY TURBO WITH ON/OFF DASH SWI				
	D	TCH				
016-1DC	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL	F	10	R	5
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH				
	D	HORIZONTAL TAILPIPE EXITING FORWARD OF				
	D	REAR TIRES				
239-001	D	STANDARD EXHAUST SYSTEM LENGTH				
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)				
237-022	D	RH HORIZONTAL TAILPIPE, EXIT FORWARD OF	F	25	R	25
	D	REAR TIRES				
23U-001	D	6 GALLON DIESEL EXHAUST FLUID TANK				
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO				
	S	LANT PLUMBING				
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL				
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER				
43X-002	D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST F				
	D	LUID TANK LOCATION				
23Y-001	D 003	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT				
	D	ING				
	005	This configuration locates the 6gal DEF				
		as far fwd as possible. As aside note, D				
		EF location notes should be applied to 4				
		3X when required,and not 23Y. The same l				
		TCO has been submitted a couple times in				
		thepast for the same customer				
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP				
242-998	D	NO MUFFLER/TAILPIPE SHIELD				
273-018	D	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN				
	D	DRIVE				
276-002	D	AUTOMATIC FAN CONTROL WITH DASH SWITCH A				
	D	ND INDICATOR LIGHT, NON ENGINE MOUNTED				

110-003	D	CUMMINS SPIN ON FUEL FILTER			
118-008	D	COMBINATION FULL FLOW/BYPASS OIL FILTER			
120-998	D	NO COOLANT FILTER	F	-10	
266-013	D	1100 SQUARE INCH ALUMINUM RADIATOR	F	20	
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL			
	D	ICATE FREE) EXTENDED LIFE COOLANT			
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV			
	D	ALENT			
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT			
	D	HOSES			
270-016	D	RADIATOR DRAIN VALVE			
168-002	D	LOWER RADIATOR GUARD			
360-998	D	NO FRONT ENGINE PTO			
361-998	D	NO REAR ENGINE PTO			
138-011	D	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK	F	4	
	D	HEATER			
141-998	D	NO COOLANT HEATER - GAS/DSL			
166-998	D	NO OIL PREHEATER			
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED			
	D	UNDER LH DOOR			
134-001	D	ALUMINUM FLYWHEEL HOUSING			
132-004	D	ELECTRIC GRID AIR INTAKE WARMER			
155-058	D	DELCO 12V 38MT HD STARTER WITH INTEGRATE			
	D	D MAGNETIC SWITCH			
		TRANSMISSION & EQUIPMENT			
342-1KD	D	ALLISON 3000 EVS AUTOMATIC TRANSMISSION	F	200	R 60
	D	WITH PTO PROVISION			
352-998	D	NO AUXILIARY TRANSMISSION			
343-331	D	ALLISON VOCATIONAL PACKAGE 198 - AVAILAB			
	D	LE ON 3000/4000 PRODUCT FAMILIES WITH VO			
	D	CATIONAL MODEL EVS			
84B-003	D	ALLISON VOCATIONAL RATING FOR FIRE TRUCK			
	D	/EMERGENCY VEHICLE APPLICATIONS AVAILABL			
	D	E WITH ALL PRODUCT FAMILIES			
84C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START			
	D	GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3			
	D	000/4000 PRODUCT FAMILIES ONLY			
84D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, STA			
	D	RT GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR			
	D	3000/4000 PRODUCT FAMILIES ONLY			
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI			
	D	ON DRAIN, AXLE(S) FILL AND DRAIN			
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA			
	D	SH MOUNTED			
97G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013			
348-998	D	NO TRANSMISSION ACCESSORIES			
347-998	D	NO CLUTCH HOUSING MATERIAL			
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RAD			
	D	IATOR END TANK			
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELE			
	D	CTRONIC OIL LEVEL CHECK			
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	F	-2	
84T-000	S	DISABLE - NEUTRAL RANGE ASSIST			
84U-000	S	DRIVER SWITCH INPUT - DEFAULT - NO SWITC			
	S	HES			
84V-001	S	DIRECTION CHANGE ENABLED WITH MULTIPLEXE			
	S	D SERVICE BRAKES - ALLISON 5TH GEN TRANS			

	S	MISSIONS		
85D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE		
	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK		
	S	E - ALLISON 5TH GEN TRANSMISSIONS		
353-023	D	VEHICLE INTERFACE WIRING CONNECTOR WITHO		
	D	UT BLUNT CUTS, AT END OF FRAME		
34C-001	D	ELECTRONIC TRANSMISSION CUSTOMER ACCESS		
	D	CONNECTOR FIREWALL MOUNTED		
362-1Y0	D	(2) CUSTOMER INSTALLED CHELSEA 277 SERIE		
	D	S PTO'S		
363-011	D	PTO MOUNTING, LH AND RH SIDES OF MAIN TR		
	D	ANSMISSION		
375-998	D	NO AUXILIARY OIL COOLER		
373-998	D	NO TRANSFER CASE		
376-998	D	NO SHIFT CONTROL, TRANSFER CASE		
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER		
	D	TAKEOFF		
35T-001	D	SYNTHETIC TRANSMISSION FLUID (TES-295 CO		
	D	MPLIANT)		
385-998	D	NO MAIN DRIVELINE HARDWARE		
		FRONT AXLE, SUSPENSION & EQUIPMENT		
400-1A8	D	DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI		
	D	/3.74 DROP SINGLE FRONT AXLE		
398-998	D	NO FRONT AXLE RATIO		
389-998	D	NO FRONT AXLE DRIVESHAFT		
402-049	D	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT		
	D	BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-026	D	FIRE AND EMERGENCY SEVERE SERVICE, NON-A		
	D	SBESTOS FRONT LINING		
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	D	FRONT BRAKE DUST SHIELDS	F	5
409-021	D	SKF SCOTSEAL PLUS XL FRONT OIL SEALS		
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE		
	D	R AND SIDE PLUGS - OIL		
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES		
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS		
405-031	D	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS W		
	D	ITH STAINLESS STEEL CLEVIS PINS		
536-012	D	TRW TAS-85 POWER STEERING	F	40
537-005	S	STEEL STEERING SHAFT		
539-003	D	POWER STEERING PUMP		
534-015	D	2 QUART SEE THROUGH POWER STEERING RESER		
	D	VOIR		
533-998	D	NO POWER STEERING OIL COOLER		
40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE		
620-010	D	14,600# TAPERLEAF FRONT SUSPENSION	F	170
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT		
	D	SUSPENSION		
629-998	D	NO FRONT SWAYBAR		
410-001	D	FRONT SHOCK ABSORBERS		
		REAR AXLE, SUSPENSION & EQUIPMENT		
420-1DR	D	RS-25-160 27,000# R-SERIES FIRE/EMERGENC		R 230
	D	Y SERVICE SINGLE REAR AXLE		
421-614	D	6.14 REAR AXLE RATIO		
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL		
	D	E HOUSING		
382-998	D	NO (#1) DRIVELINE		
386-076	D	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVE	F	20
	D	LINE WITH FULL ROUND YOKES		R 20

388-998	D	NO INTERAXLE (#3) DRIVELINE		
452-998	D	NO TRACTION EQUALIZER		
878-998	D	NO AIR PP & CONT-DIFF LKOUT,CAB		
87A-998	D	NO INTERAXLE LOCK WIRING/LOGIC		
87B-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC		
423-010	D	MERITOR 16.5X7 P CAM REAR BRAKES, DOUBLE	R	20
	D	ANCHOR, CAST SHOES		
433-025	D	FIRE AND EMERGENCY SEVERE SERVICE NON-AS		
	D	BESTOS REAR BRAKE LINING		
434-011	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE		
	D	OF DRIVE AXLE(S)		
451-030	D	WEBB HEAVY WEIGHT CAST IRON REAR BRAKE D	R	40
	D	RUMS		
425-002	D	REAR BRAKE DUST SHIELDS	R	5
440-021	D	SKF SCOTSEAL PLUS XL REAR OIL SEALS		
435-998	D	NO DRIVELINE PARKING BRAKE		
426-074	D	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE		
	D	SPRING PARKING CHAMBERS		
428-031	D	HALDEX AUTOMATIC REAR SLACK ADJUSTERS WI		
	D	TH STAINLESS STEEL CLEVIS PINS		
876-998	D	NO AIR PP/ELECT AXLE SHIFT,CAB		
87C-998	D	NO DRIVE/SHIFT AXLE WIRING/LOGIC		
898-998	D	NO AIR PP/ELECT-AXLE SHIFT,CHAS		
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE		
622-1DD	D	27,000# FLAT LEAF SPRING REAR SUSPENSION	R	120
	D	WITH RADIUS ROD FOR FIRE/EMERGENCY SERV		
	D	ICE		
034-998	D	NO REAR SUSPENSION PACKAGE		
621-001	D	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	D	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
624-998	D	NO AXLE SPACING		
628-998	D	NO SUSPENSION BEAMS		
888-998	D	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION		
87D-998	D	NO REAR AIR SUSPENSION VALVE WIRING/		
	D	LOGIC		
910-998	D	NO REAR CHASSIS SUSPENSION AIR PIPING		
923-005	H 006	GEN 2, DEDICATED PATHWAY, ROUTING AND CL		
	H	IPPING		
	006	EWR P51918 / MIP CD717		
623-005	D	FORE/AFT CONTROL RODS		
630-998	D	NO REAR SUSPENSION STABILIZER		
439-998	D	NO REAR SHOCK ABSORBERS		
035-998	D	NO DEAD AXLE PACKAGE		
443-998	D	NO PUSHER OR TAG AXLE		
456-998	D	NO PUSHER/TAG BRAKES		
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)		
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA		
	D	G		
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS		
442-998	D	NO PUSHER OR TAG OIL SEALS		
444-998	D	NO PUSHER OR TAG HUB CAPS		
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS		
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS		
626-998	D	NO PUSHER OR TAG SUSPENSION		
874-998	D	NO PUSHER/TAG AXLE LIFT		
896-998	D	NO PLUMBING FOR LIFT AXLE		
87F-998	D	NO LIFT AXLE WIRING/LOGIC		

		BRAKE SYSTEM		
018-002	D	AIR BRAKE PACKAGE		
490-101	D	WABCO 4S/4M ABS WITH TRACTION CONTROL, W		
	D	IH ATC OFF-ROAD SWITCH		
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE		
	D	BRAID CHASSIS AIR LINES		
46E-001	S	STANDARD AIR MANAGEMENT UNIT		
904-001	D	FIBER BRAID PARKING BRAKE HOSE		
412-001	D	STANDARD BRAKE SYSTEM VALVES		
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION		
	D	SYSTEM		
413-002	D	STD U.S. FRONT BRAKE VALVE		
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,		
	D	NO REAR PROPORTIONING VALVE		
480-009	D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F 20	
483-998	D	NO AIR SYSTEM OIL FILTER		
479-003	D	AIR DRYER MOUNTED INBOARD ON LH RAIL		
460-058	D	STEEL AIR TANKS MOUNTED AFT INSIDE AND/O		
	D	R BELOW FRAME JUST FORWARD OF REAR SUSPE		
	D	NSION		
46A-998	D	NO AUXILIARY AIR TANK		
607-998	D	CHASSIS CONFIGURATION - NONE		
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)		
485-998	D	NO EXTERNAL CHARGING GLADHAND		
481-998	D	NO TRAILER AIR HOSE		
476-998	D	NO AIR HOSE HANGER		
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME		
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,		
	D	VALVES, OR AIR UNLOADER SYSTEM		
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE		
296-998	D	NO SPECIAL PRIMARY RECEPTACLE WIRING		
297-998	D	NO TRAILER CABLE RECEPTACLE		
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	D	UPGRADED BULKHEAD MULTIPLEXING UNIT		
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING		
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R		
	D	ECEPTACLE		
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING		
310-998	D	NO TRAILER ELECTRICAL CABLE		
		FRAME & WHEELBASE		
545-517	D	5175MM (204 INCH) WHEELBASE		
546-102	D	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.	F 270	R 260
	D	11MMX282.6MM/0.437X11.13 INCH) 120KSI		
547-998	D	NO INNER FRAME REINFORCEMENT		
548-998	D	NO OUTER FRAME REINFORCEMENT		
549-998	D	NO FRONT FRAME EXTENSION		
552-014	D	1900MM (75 INCH) REAR FRAME OVERHANG	F -20	R 100
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	1.007	%
553-001	D	SQUARE END OF FRAME		
550-001	D	FRONT CLOSING CROSSMEMBER		
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
565-001	D	STANDARD SUSPENSION CROSSMEMBER		
572-001	D	STANDARD REARMOST CROSSMEMBER		
AL5-99D	S	CALC'D BUMPER TO REAR TOWING C/M FACE	319.291	IN
587-998	D	NO REAR TOWING DEVICE		
		CHASSIS EQUIPMENT		



674-998	D	NO LH OR RH BACK OF CAB ACCESS		
592-998	D	NO DECK PLATE		
556-1CW	D	THREE-PIECE 14 INCH CHROME STEEL BUMPER	F	30
	D	WITH COLLAPSIBLE ENDS AND LH WING CUTOUT		
	D	FOR FEDERAL MS100/ES100/ES100C SPEAKER		
558-001	D	FRONT TOW HOOKS - FRAME MOUNTED	F	15
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS		
585-998	D	NO MUDFLAP BRACKETS		
590-998	D	NO REAR MUDFLAPS		
586-024	D	FENDER AND FRONT OF HOOD MOUNTED FRONT M		
	D	UDFLAPS		
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTEN		
	D	ERS		
583-998	D	NO REAR QUARTER FENDERS		
600-998	D	NO CAB GUARD		
604-998	D	NO TIRE CARRIER		
794-998	D	NO JACK OR WHEEL WRENCH PROVISION		
795-998	D	NO TOOLS		
605-998	D	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE		
601-998	D	NO BODY BUILDER DIAGRAMS		
970-040	D	TANK BODY 3001 TO 4500 GALLONS		
		FIFTH WHEEL & EQUIPMENT		
578-998	D	NO FIFTH WHEEL		
577-998	D	NO FIFTH WHEEL LOCATION		
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS		
582-998	D	NO FIFTH WHEEL LEG HEIGHT		
570-998	D	NO FIFTH WHEEL MOUNTING		
890-998	D	NO FIFTH WHEEL PLUMBING		
579-998	D	NO FIFTH WHEEL RELEASE/INST.		
591-998	D	NO FIFTH WHEEL ADD-ONS		
		FUEL TANK(S) & EQUIPMENT		
206-998	D	NO RH FUEL TANK		
201-998	D	NO RH AUXILIARY FUEL TANK		
204-215	D	50 GALLON/189 LITER SHORT RECTANGULAR AL	F	20
	D	UMINUM FUEL TANK - LH		
200-998	D	NO LH AUXILIARY FUEL TANK		
230-998	D	NO BETWEEN RAIL FUEL TANK		
203-998	D	NO HYDRAULIC OIL TANK		
218-005	D	RECTANGULAR FUEL TANK(S)		
215-005	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU		
	D	LIC TANK(S) WITH PAINTED BANDS		
212-007	D	FUEL TANK(S) FORWARD		
231-998	D	NO FUEL TANK MTG BETWEEN RAILS		
232-998	D	NO ADDITIONAL FUEL PROVIDED		
664-001	D	PLAIN STEP FINISH		
207-998	D	NO FUEL TANK SCREENS		
205-001	D	FUEL TANK CAP(S)		
220-998	D	NO FUEL HEATER		
122-075	D	ALLIANCE FUEL FILTER/WATER SEPARATOR		
216-020	D	EQUIFLO INBOARD FUEL SYSTEM		
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT		
	D	S		
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
	D	INE		
213-998	D	NO FUEL LINE INSULATION		
221-998	D	NO FUEL COOLER		

		TIRES		
093-2DV	D	CONTINENTAL HSC1 12R22.5 16 PLY RADIAL F	F	50
	D	FRONT TIRES		
094-0GR	D	MICHELIN XDN2 12R22.5 16 PLY RADIAL REAR		R 140
	D	TIRES		
095-998	D	NO PUSHER/TAG TIRES		
510-998	D	NO SPARE TIRE		
		HUBS		
418-056	D	CONMET PRESET PLUS IRON FRONT HUBS		
450-056	D	CONMET PRESET PLUS IRON REAR HUBS		
449-998	D	NO PUSHER OR TAG HUBS		
		WHEELS		
502-356	C 004	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB	F	-28
	C	PILOT 5.99 INSET ALUMINUM FRONT WHEELS		
505-1EF	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI		R -100
	D	LOT ALUMINUM DISC REAR WHEELS		
509-998	D	NO PUSHER/TAG DISC WHEELS		
511-998	D	NO SPARE WHEEL		
51A-998	D	NO ADDITIONAL SPARE WHEEL		
524-022	D	POLISHED DISC SIDE FRONT WHEELS WITH DUR		
	D	A-BRIGHT FINISH		
525-023	D	POLISHED OUTER (DISHED SIDE) REAR WHEELS		
	D	WITH OUTER ONLY DURA-BRIGHT FINISH		
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN		
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS		
	D			
496-011	D	FRONT WHEEL MOUNTING NUTS		
497-011	D	REAR WHEEL MOUNTING NUTS		
498-059	D	ALLIGATOR V2B CAPS WITH NYLON WHEEL GUARDS		
	D	FRONT AND REAR AT ALL INTERFACES		
		CAB EXTERIOR		
829-071	D	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL		
	D	CAB		
682-998	D	NO SLEEPER BOX/SLEEPER CAB		
784-998	D	NO AIR SHIELD OR BRACKETS		
783-998	D	NO SIDE EXTENDERS		
782-998	D	NO FRAME SIDE FAIRINGS		
650-008	D	AIR CAB MOUNTING		
705-012	D	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED	F	2
	D	COMPONENTS		
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
	D			
754-998	D	NO FENDER EXTENSION		
678-018	D	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE		
	D	RUBBER INSERT		
646-023	D	HOOD MOUNTED CHROMED PLASTIC GRILLE		
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	D	FIBERGLASS HOOD		
690-007	D	HOOD LINER INSULATION WITH SINGLE FIREWALL		
	D	INSULATION		
727-1B1	D	DUAL 25 INCH ROUND STUTTER TONE HOOD MOUNTED	F	8
	D	AIR HORNS WITH DUAL LANYARDS		
726-001	D	SINGLE ELECTRIC HORN		
728-002	D	DUAL HORN SHIELDS		
657-001	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE		
	D	SAME		
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME		
327-998	D	NO OTHER LIGHTS		
312-038	D	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH		

302-047	D	CHROME BEZEL	
	D	LED AERODYNAMIC MARKER LIGHTS	
315-998	D	NO FOG LIGHTS	
311-001	D	DAYTIME RUNNING LIGHTS	
316-998	D	NO SPOTLIGHTS	
294-094	D	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE	R -5
	D	WIRING WITH SEPARATE STOP/TAIL WIRES TO	
	D	7 FEET BEYOND END OF FRAME	
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS	
318-032	D	SWITCH, INDICATOR LIGHT AND APPROXIMATELY	
	D	10 FEET OF WIRE ON CHASSIS RH BACK OF	
	D	CAB FOR CUSTOMER FURNISHED UTILITY LIGHT	
	D	(S)	
744-1BC	D	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS	
	D	WITH LH AND RH REMOTE	
797-001	D	DOOR MOUNTED MIRRORS	
796-001	D	102 INCH EQUIPMENT WIDTH	
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS	
	D	MOUNTED UNDER PRIMARY MIRRORS	
74A-001	D	RH DOWN VIEW MIRROR	
74B-998	D	NO AUXILIARY MIRROR	
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-998	D	NO REFLECTIVE DEVICES	
677-016	D	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES	
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE	
	D	NOT SET WITH DOOR OPEN AND ALL IGNITION	
	D	KEY POSITIONS	
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F 10
768-998	D	NO REAR WINDOW	F -20
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED	
	D	NON-OPERATING WING WINDOWS	
654-003	D	MANUAL DOOR WINDOW REGULATORS	
767-998	D	NO SIDE WINDOW	
769-998	D	NO LOWER DOOR WINDOW	
663-013	D	TINTED WINDSHIELD	
659-019	D	2 GALLON WINDSHIELD WASHER RESERVOIR WITH	
	D	FLUID LEVEL INDICATOR, FRAME MOUNTED	
	D		
647-998	D	NO WINTERFRONT	
	D	CAB INTERIOR	
707-1AK	D	OPAL GRAY VINYL INTERIOR	
706-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL	
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOOR	
	D		
708-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL	
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOOR	
	D		
772-006	D	BLACK MATS WITH SINGLE INSULATION	
785-998	D	NO DASH MOUNTED ASH TRAYS AND LIGHTER	
691-008	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER	
	D	STORAGE COMPARTMENTS WITHOUT NETTING	
694-010	D	IN DASH STORAGE BIN	
696-998	D	NO REAR FLOOR STORAGE	
693-998	D	NO INTERIOR DOOR STORAGE	
826-998	D	NO LOWER BUNK	
666-998	D	NO BUNK RESTRAINT	

738-998	D	NO CLOCK			
742-007	D	(2) CUP HOLDERS LH AND RH DASH			
680-006	D	GRAY/CHARCOAL FLAT DASH			
860-004	D	SMART SWITCH EXPANSION MODULE			
716-998	D	NO WINDSHIELD FAN			
720-998	D	NO FIRE EXTINGUISHER			
71T-998	D	NO SMOKE/GAS DETECTOR			
714-001	D	FIRST AID KIT	F	2	
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	D	STANDARD HVAC DUCTING			
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW			
	D	ITCH			
689-998	D	NO AUXILIARY HVAC UNIT			
170-015	D	STANDARD HEATER PLUMBING			
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES			
	D	SOR			
702-002	D	BINARY CONTROL, R-134A			
739-034	D	PREMIUM INSULATION			
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-011	D	DOME DOOR ACTIVATED LH AND RH, DUAL READ			
	D	ING LIGHTS, FORWARD CAB ROOF			
655-001	D	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			
740-998	D	NO MATTRESS			
284-045	D	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN			
	D	DASH			
710-998	D	NO CAB PRIVACY CURTAIN			
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10	
756-1E7	D	SEATS INC 911 UNIVERSAL SERIES HIGH BACK	F	50	
	D	AIR SUSPENSION DRIVER SEAT WITH NFPA 19			
	D	01-2009/2016 COMPLIANT SEAT SENSOR			
760-1F0	D	SEATS INC 911 2 MAN MID BACK NON SUSPENS	F	105	R 50
	D	ION PASSENGER SEAT WITH NFPA 2009 COMPLI			
	D	ANT SEAT SENSORS			
762-998	D	NO REAR PASSENGER SEAT			
757-998	D	NO SEAT SKIRT(S)			
759-998	D	NO SEAT ARMREST			
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
699-998	D	NO SEAT OPTIONS			
758-023	D	GRAY VINYL DRIVER SEAT COVER WITH GRAY C			
	D	ORDURA CLOTH BOLSTER AND HEADREST			
761-017	D	GRAY CORDURA PLUS CLOTH PASSENGER SEAT C			
	D	OVER			
755-998	D	NO REAR PASSENGER SEAT COVERS			
	D				
763-075	D	3 POINT HIGH VISIBILITY ORANGE RETRACTOR			
	D	DRIVER AND RH FRONT AND 2 POINT RETRACT			
	D	OR CENTER FRONT SEAT BELTS WITH NFPA 190			
	D	1-2009 COMPLIANT SENSOR AND DASH HARNESS			
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F	10	
	D	COLUMN			
540-015	D	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS			
	D	CONTROLS & INSTRUMENTS			
870-001	D	BLACK GAUGE BEZELS			
732-004	D	GRAY DRIVER INSTRUMENT PANEL			
734-004	D	GRAY CENTER INSTRUMENT PANEL			
68J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL			

486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD		
	D	IBLE ALARM		
838-998	D	NO AIR APPLICATION GAUGE		
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSUR		
	D	E GAUGES		
198-003	D	DASH MOUNTED AIR RESTRICTION INDICATOR W	F	2
	D	ITH GRADUATIONS		
721-003	D	PRECO 1040 87 DB TO 112 DB AUTOMATIC SEL		R 3
	D	F-ADJUSTING BACKUP ALARM		
149-013	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES		
	D	IN LH SWITCH PANEL		
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRA		
	D	L START POSITION; 4 POSITION OFF/RUN/STA		
	D	RT/ACCESSORY		
157-998	D	NO REMOTE START		
811-042	D	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS,		
	D	28 LED WARNING LAMPS AND DATA LINKED		
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE		
	D	CONNECTOR LOCATED BELOW LH DASH		
844-001	D	2 INCH ELECTRIC FUEL GAUGE		
845-998	D	NO FUEL FLOW GAUGE		
148-073	D	ENGINE REMOTE INTERFACE FOR REMOTE THROT		
	D	TLE		
163-001	D	ENGINE REMOTE INTERFACE CONNECTOR AT BAC		
	D	K OF CAB		
87L-001	D	ENGINE REMOTE INTERFACE WITH PARK BRAKE		
	D	INTERLOCK		
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION		
866-998	D	NO AXLE TEMPERATURE GAUGE		
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA		
	D	UGE		
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE		
864-001	D	2 INCH TRANSMISSION OIL TEMPERATURE GAUG		
	D	E		
867-998	D	NO OUTSIDE AIR TEMPERATURE GAUGE		
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT		
	D	HIN DRIVER DISPLAY		
438-998	D	NO HUBODOMETER		
33A-998	D	NO WARNING LIGHT SWITCHES		
372-051	D	CUSTOMER FURNISHED AND INSTALLED PTO CON		
	D	TROLS		
736-998	D	NO OBSTACLE DETECTION SYSTEM		
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM		
49B-004	D	ELECTRONIC STABILITY CONTROL		
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM		
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-001	D	OVERHEAD INSTRUMENT PANEL		
35M-998	D	NO WRG-BDY MULTIPLEX EXPNSN UNIT		
786-998	D	NO POSITIONING/LOCATING SYSTEM		
746-019	D	CUSTOMER FURNISHED DIN RADIO PACKAGE	F	5
747-001	D	DASH MOUNTED RADIO		
74D-998	D	NO RADIO/SPEAKER WIRING		
750-002	D	(2) RADIO SPEAKERS IN CAB		
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
748-006	D	POWER AND GROUND WIRING PROVISION OVERHE		
	D	AD		
749-001	D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		

752-998	D	NO CB ANTENNA, BRACKET OR LEAD	
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTE	
	D	NNA	
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECONDAR	
	D	Y MPH SCALE, WITHOUT ODOMETER	
817-001	D	STANDARD VEHICLE SPEED SENSOR	
812-001	D	ELECTRONIC 3000 RPM TACHOMETER	
813-1C0	D	NFPA VEHICLE DATA RECORDER AND SEATBELT	F 5
	D	DISPLAY**DO NOT USE**	
81X-998	D	NO TELEMATICS SERVICE CONTRACT	
80K-998	D	NO SHUTDOWN OVERRIDE	
80L-998	D	NO REGEN SYSTEM TAILORING	
80M-998	S	NO ALTERNATE PTO SPEED	
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE	
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION	
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG	
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP	
885-998	D	NO CONTROLS-FIRE PUMP	
329-010	D	TWO ON/OFF ROCKER SWITCHES IN THE DASH W	
	D	ITH INDICATOR LIGHTS AND WIRE ROUTED TO	
	D	CHASSIS AT BACK OF CAB, LABEL OPT	
81Y-998	D	NO PRE TRIP SYSTEM TEST	
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH	
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	
44W-998	D	NO UNDEFINED INDICATOR LAMPS	
264-032	D	(2) OVERHEAD MOUNTED LANYARD CONTROLS:	
	D	(1) OFFICER AIR HORN AND (1) DRIVER AIR	
	D	HORN	
482-998	D	NO TRACTOR PROTECTION VALVE	
883-998	D	NO TRAILER HAND CONTROL BRAKE VALVE	
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR	
	D	IVER DISPLAY	
660-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W	
	D	ITH DELAY	
304-001	D	MARKER LIGHT SWITCH INTEGRAL WITH HEADLI	
	D	GHT SWITCH	
27D-013	D	ALTERNATING FLASHING HEADLAMP SYSTEM WIT	
	D	H DASH SWITCH AND NO PARK BRAKE INTERLOC	
	D	K	
882-018	D	ONE VALVE PARKING BRAKE SYSTEM WITH DASH	
	D	VALVE CONTROL AUTONEUTRAL AND WARNING I	
	D	NDICATOR	
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH D	
	D	IMMER, WASHER/WIPER AND HAZARD IN HANDLE	
298-039	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER	
	D	WITH HAZARD LAMPS OVERRIDING STOP LAMPS	
		PAINT	
065-000	D	PAINT: ONE SOLID COLOR	
980-2L5	D	CAB COLOR A: L1132EB	
	D	RED ELITE BC	
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS	
	D	PAINT	
98K-998	D	NO FUEL TANK CABINET PAINT	
962-998	D	PAINT-FRT WHEEL COLOR: NONE	
966-998	D	PAINT-RR WHEEL COLOR: NONE	

